

TOPCRET

MICROCEMENT

Market Certificates CE

- Declaration of conformity
- Declaration of performances

TOPCRET

Declaration of conformity

The manufacturer

Topcret tecnología en revestimientos, SL
Gran Vía de les Corts Catalanes, 828
08013 Barcelona
Spain

Declares in accordance with section 9 of the construction products the following

The self-leveling paste system of cement floors

MICROCEMENT

Described in the data sheet and manufactured in the factory located in C/
Edison, 21, Barberá del Vallès (BARCELONA), SPAIN

Conforms with the EN 13813 under the consideration of the information accompanying the system with respect to the application of component products and meets the market requirements in CE according to annex ZA of the EN 13813.

Procedures for conformity assessment have been carried out according to table ZA.2

The product is subject to the control of production process according to EN 13813.

And for the record signed 21st April 2015,

Mr. Ernesto Aiello
Administrator

Topcret tecnología en revestimientos

Attached:

Data sheet (System applied according to the data sheet)

ENGLAND PROYECTOS Y SERVICIOS SL
Plaça Doctor Letamendi, 24 – 08007 Barcelona
Tel: 93.451.88.34
info@engiland.com
www.engiland.com

TOPCRET



Topcret tecnología en revestimientos, SL
Gran Via de les Corts Catalanes, 828
08013 Barcelona
España
15

EN 13813
The self-leveling paste system of cement floors
CT-C25- F10-AR2

| | |
|----------------------------|-----------------------------------|
| Minimum thickness of layer | 3,0 mm |
| Compressive resistance | C25 |
| flexural resistance | F10 |
| Wear resistance | AR2 |
| Surface hardness | SH40 |
| Modulus of elasticity | E1 (assemble) E5 (unassembled) |
| Impact resistance | IR14.7 |
| Traction resistance | B1.0 |
| Water permeability | Class III |
| Fire reaction | Euroclase A2FL -s1 |
| Hazard Substances | Meets 5.3 |

TOPCRET

Declaration of Performances
Nº TC2
According regulation UE 305/2011

1. Name and identification code:
MICROCEMENT
Batch: See the product packaging
2. Name and manufactures address:
Topcret tecnología en revestimientos, SL
Gran Via de les Corts Catalanes, 828
08013 Barcelona
España
3. Intended use:
The self-leveling paste system of cement floors
4. System of assessment and verification of constancy of performance:
CE4
5. Performance Features

| Essential characteristics | Features | Harmonized technical specifications |
|----------------------------------|-----------------------------------|--|
| Compressive resistance | C25 | EN 13813 |
| Flexural resistance | F10 | EN 13813 |
| Wear resistance | AR2 | EN 13813 |
| Surface hardness | SH40 | EN 13813 |
| Modulus os elasticity | E1 (assemble) E5 (unassembled) | EN 13813 |
| Impact resistance | IR14,7 | EN 13813 |
| Traction resistance | B1,0 | EN 13813 |
| Water permeability | Class III | EN 13813 |
| Fire reaction | Euroclase A2FLs1 | EN 13813 |
| Hazard substances | Meets wtih 5.3 | EN 13813 |

And for the record signed 21st April 2015,


Mr. Ernesto Aiello
Administrator
Topcret tecnología en revestiminetos

ENGILAND PROYECTOS Y SERVICIOS SL
Plaça Doctor Letamendi, 24 – 08007 Barcelona
Tel: 93.451.88.34
info@engiland.com
www.engiland.com

TOPCRET

MICROCEMENT

Assay characteristics

ENGLAND PROYECTOS Y SERVICIOS SL
Plaça Doctor Letamendi, 24 – 08007 Barcelona
Tel: 93.451.88.34
info@engiland.com
www.engiland.com